

# Subject Index

3D display, 14  
 4-adjacent, 473  
 4-connected, 473  
 8-adjacent, 474

## A

abutting polygons, 466  
 accessor, 482  
 ACM SIGGRAPH, 6, 384  
 active edge list, 470  
 additive color model, 337  
 adjacency primitive, *see* primitive  
 AEL, *see* active edge list  
 affine  
     invariance  
         Bézier curve, 572, 573  
         Bézier surface, 578  
     transformation, 160  
         defining matrix, 160  
         definition, 160  
         geometric 2D, 168  
         geometric 3D, 193  
         translational component, 160  
 aliasing, 393, 425  
 alpha, 416  
     alpha-morph, 421  
 ambient light, *see* light  
 angle of incidence, 344  
 angular attenuation, *see* light  
 animation  
     articulated figure (character), 141  
     code, 110, 141  
     control, 107  
     GL 4.3, 492  
     key-frame, 141  
     technicals, 107  
     transformations, *see* modeling transformation  
         WebGL 2.0, 552  
 annular disc, *see* GLU quadric  
 annulus  
     circular, 39  
     double, 37

square, 35  
 antialiasing, 425  
 antipodal points, 223  
 API (Application Programming Interface), 7, 19  
     API-independent, 54  
     OpenGL, *see* OpenGL  
     POV-Ray, *see* POV-Ray  
 application programming interface, *see* API  
 approximation  
     mesh, 293  
     of control points, 563  
     polyline, 278  
 aspect ratio, 22  
 atmospheric effect, 422  
 attachment (framebuffer), *see* framebuffer attachment  
 attenuation, *see* light, angular attenuation and light, distance attenuation  
 attractor, 318, 320, 563  
 attribute, 30  
 attribute variable, 484  
 automorphism, *see* inner automorphism  
 axis  
     axis-aligned, 86  
     calibration, 23, 24

## B

back face  
     back-face culling (polygon culling), 266  
     back-facing polygon, 257  
 background  
     (clearing) color, 29  
     light, 341  
 barycentric  
     combination, *see* convex combination  
     coordinates, 234, 236, 240  
 base  
     curve, 297

---

SUBJECT INDEX

- texture, 395
- basis
  - function, *see* blending function
- Bernstein polynomial, 564, 567–569
- Bézier, 563
  - curve, 563
    - affine invariance, 573
    - arbitrary order, 569
    - blending function, 564
    - cubic (fourth-order), 567
    - de Casteljau’s recursion, 570
    - drawing, 318
    - end tangent, 574
    - evaluator, 319
    - linear (second-order), 564
    - order, 318
    - quadratic (third-order), 565
    - vs. polynomial curve, 574
  - patch, 320
  - surface, 575
    - affine invariance, 578
    - blending function, 577
    - drawing, 320
    - evaluator, 321
    - parameter curve, 578
- bias matrix, 445
- bicubic
  - Bézier patch, 322
  - bilinear patch, 303
- billboarding, 424
  - billboard, 424
- bitmap, 68
  - bitmapped text, *see* text
- bitplane, 436
- blending, 413
  - blend function, 416
  - equation, 415
  - factor, 415
  - function
    - Bézier curve, 564
    - Bézier surface, 577
  - GL 4.3, 516
- Blinn-Newell method, 429
- blit, 440
- blue book, 29
- BMP file format, 386, 387
- bounding box, 327
- Bresenham’s line rasterizer, *see* raster algorithm
- brightness
  - HSB, 340
  - patch, *see* patch brightness
- BSP tree, 208
  - hidden surface removal, 42
- buffer, 435
  - accumulation, 436
- auxiliary color, 436
- back, *see* drawable
- color, 13, 109, 338, 436
- depth ( $z$ ), 40, 436
- double, 108
- drawable (back, swap), 109
- frame, *see* framebuffer
- front, *see* viewable
- hit, 146
- main, *see* viewable
- object, 63
- ping-pong, 109, 542
- precision, 436
- refresh, 109
- render, *see* renderbuffer
- single, 109
- stencil, *see* stencil buffer
- swap, *see* drawable
- triple, 110
- viewable (front, main), 109
- $z$ -, *see* depth
- built-in variable, 490
- bump mapping, 441, 494
  - bump map, 442

**C**

- $C^m$ -continuity, *see* continuity
- calibrating axis, *see* axis calibration
- callback routine, 51
- camera
  - as input device, *see* input device
  - OpenGL, 123
  - orientation, *see* orientation
  - point, 45
  - pose, 124
    - default, 124
  - canoe, 322, 378
  - canonical
    - viewing box, 586
  - cathode-ray tube, *see* CRT
  - center of projection (COP), 45
  - centroid, 238
  - CGAL, 254
  - CGI (computer-generated imagery), 3
  - checkered floor, 363
  - chirality, 198
  - CIE, 337
    - XYZ color model (1931 color model), 340
  - circle, 38
    - as conic, 281
    - circumscribed, 309
    - rational parametrization, 282
  - circular paraboloid, 306
  - clamp
    - color, 29

texture, *see* texture wrapping mode  
 clearing color, *see* background color  
 clipping, 27  
     algorithm (clipper)  
         Cohen-Sutherland line clipper, 453  
         Liang-Barsky line clipper, 456  
         Sutherland-Hodgman polygon clipper, 457  
     in the synthetic-camera pipeline, 608  
     planes, 28, 76  
         GL 4.3, 510  
     rectangle, 454  
 cloth physics, 116  
 CMY color model, *see* color model  
 CMYK color model, *see* color model  
 Cohen-Sutherland line clipper, *see* clipping algorithm  
 coherence, *see* edge coherence  
 collinearity test, 188  
 collision detection, 140  
 color  
     background (clearing), 29  
     buffer, *see* buffer, color  
     coding, 520  
     cube, 337  
     desaturated, 340  
     foreground (drawing), 29  
     gamut, 339  
     material mode, 356  
     model  
         additive, 337  
         CIE XYZ (CIE 1931), 340  
         CMY, 339  
         CMYK, 339  
         HSV (HSB), 340  
         RGB, 337  
         subtractive, 339  
     primary, 337  
     purity, 340  
     saturation, 340  
     secondary, 359  
     space, 337  
     tuple, 337  
     Venn diagram, 337  
     wheel, 340  
 column matrix, *see* matrix  
 compatibility profile, *see* OpenGL profile  
 computational geometry, 227, 245, 254  
 Computer History Museum, 323  
 computer-generated imagery, *see* CGI  
 conditional rendering, 211  
 cone, 300  
     doubly-curled, 300, 376  
     elliptic, 305  
     generalized, 304  
     GLUT, 75, 117  
     light, *see* light cone  
     right circular, 304  
 cone cell, 336  
 conic section (conic), 281  
     degenerate, 281, 283  
     rational parametrization, 282  
 conical helix, 277  
 conjugate quaternion, *see* quaternion continuity  
 $C^0$ , 284  
     coordinate patch, 314  
     curve, 284  
     parametrization, 284  
     surface, 315  
 $C^1$ , 285  
     curve, 285  
     parametrization, 285  
     surface, 317  
 $C^2$   
     curve, 288, 289  
     surface, 317  
 $C^m$ , 288  
     coordinate patch, 316  
     curve, 288  
     function of two variables, 316  
     parametrization, 288  
 $C^\infty$ , 288  
 regular  
      $C^m$  surface, 317  
      $C^\infty$  surface, 317  
     1D object, 287  
     2D object, 318  
     coordinate patch, 317  
     curve, 285, 287  
     parametrization, 285  
     surface, 317  
 smooth  
     curve, 288  
     function, 288  
     surface, 317  
 control  
     point  
         curve, 318, 563, 578  
         surface, 320, 575  
     polygon, 319, 566  
     polyhedron, 320, 576  
 convex (convexity)  
     combination, 234, 236, 240  
     hull, 242  
     polygon, 241  
     set, 241  
     under affine transformation, 162

---

SUBJECT INDEX

- under geometric transformation, 169, 193
- Cook-Torrance lighting model, *see* light, lighting model
- coordinate patch, *see* continuity
- COP, *see* center of projection
- core profile, *see* OpenGL profile
- coverage, *see* fragment
- cross-product (vector product), 187
- CRT (cathode-ray tube), 12, 338
- cube
  - GLUT, 75
  - map, 431
  - mapping, 431
- cubic
  - Bézier curve, 567
- culling
  - back-face (polygon), *see* back-face culling
  - frustum, *see* frustum culling
  - occlusion, *see* occlusion culling
- curve
  - B-spline, *see* B-spline curve
  - Bézier, *see* Bézier curve
  - base, 297
  - $C^m$ , *see* continuity
  - conic section (conic), *see* conic section
  - degree, *see* B-spline curve and Bézier curve
  - drawing, 277
  - mathematical formalism, 283
  - order, *see* B-spline curve and Bézier curve
  - piecewise Bézier, *see* piecewise
  - piecewise regular, *see* piecewise
  - plane, 272
    - implicit specification, 272
    - parametric (explicit) specification, 273
  - polynomial parametrization, 280
  - profile, 297
  - rational parametrization, 280
  - regular, *see* continuity
  - sequel, *see* sequel curve
  - smooth, *see* continuity
  - source, *see* source curve
  - space, 275
    - implicit specification, 276
    - parametric (explicit) specification, 277
  - cut-away view, 77
  - cut-off depth, 207
  - cylinder, 47, 292
    - as swept surface, 297
    - drawing, 294
  - elliptic, 305
  - equations, 292
  - generalized, 304
  - hyperbolic, 305
  - lit, 375
  - lit and textured, 404
  - parabolic, 305
  - right circular, 304
  - tapered, 308
- D**
- data glove, *see* input device
- DDA line rasterizer, *see* raster algorithm
- de Casteljau’s method, 565
  - recursive formula, 570
- default pose (OpenGL camera), 123
- defining
  - matrix, *see* affine transformation
  - trajectory, 303
- degenerate
  - conic, *see* conic
  - scaling, *see* scaling
  - triangle, *see* triangle
- degree
  - curve, *see* B-spline curve and Bézier curve
  - of freedom, 276
- delta form factor, *see* form factor
- depth
  - buffer, *see* buffer
  - testing (*see also* hidden surface removal), 40, 436
  - texture, *see* texture
- destination pixel, 414
- differential geometry, 331
- diffuse light, *see* light
- Digital differential analyzer (DDA) line rasterizer, *see* raster algorithm
- Direct3D, 53
- directional light source, *see* light
- disc, 39
  - annular, *see* GLU quadric
  - partial annular, *see* GLU quadric
- discard fragment, 502
- discriminant
  - Bresenham’s algorithm, 462
  - conic, 281
  - determinant, 174
- displacement vector, 154, 179
- display
  - list, 67
    - base, 68
    - mode, 109
  - distance attenuation, *see* light

- distance-preserving transformation, *see* transformation  
 divisor, *see* instanced rendering  
 dodecahedron, 310  
     GLUT, 75  
 dot product (scalar product), 127  
 double buffering, 108  
 doubly-curled cone, *see* cone  
 doubly-ruled surface, 307  
 draw-and-swap loop, 109  
 drawing  
     color, *see* foreground color  
     mode, 34  
     filled, 34  
     outlined, 34  
     wireframe, 34  
     primitive, *see* primitive  
 duality  
     Euler angle, 215  
     regular polyhedron, 311
- E**  
 edge  
     coherence, 470  
     ownership rule, 467  
     table (ET), 470  
 Eiffel Tower, 302  
 electromagnetic, *see* EM  
 ellipse, 46  
     as conic, 281  
     rational parametrization, 282  
 ellipsoid, 305  
 elliptic  
     cone, 305  
     cylinder, 305  
     paraboloid, 305  
 EM  
     radiation, 336  
     spectrum, 336  
 emission rate, 630  
 emissive  
     light, 342  
     vector, 343  
 environment mapping, 429  
 Euclidean  
     transformation (isometry)  
         2D, 173, 176  
         3D, 197, 199  
 Euler angle, 138, 212  
 Euler’s Rotation Theorem, 200  
 evaluator, *see* Bézier  
 explicit specification, *see* curve *and* surface  
 external texture, 386  
 extreme point, 243  
 extrusion (extruded surface), 297  
 extruded helix, 301  
 eye direction vector, 261, 346
- F**  
 face, 290  
     viewing, *see* viewing  
 feedback mode, 146  
 feeler ray, 623  
 field of view angle (fovy), 78  
 filled drawing mode, *see* drawing mode  
 filter (filtering), 393  
     magnification (mag), 394  
     minification (min), 394  
     mipmap, 395  
 flash, *see* shimmer  
 flat shading, *see* shading  
 Flatland, 153  
 flood-fill, *see* raster algorithm  
 flush, 52, 436  
 fog, 422  
     color, 423  
     factor, 423  
     mode, 423  
     parameters (start, end, density), 423  
 font, 68  
 foreground (drawing) color, 29  
 foreshortening, 44  
 form factor, 630  
     delta, 634  
 four-color printing, 339  
 fovy, *see* field of view angle  
 fractal, 328  
     curve, 328  
     tree, 330  
 fragment, 145, 414  
     coverage, 425  
     discard, 502  
 fragment shader, *see* shader  
 frame  
     rate, 108  
 framebuffer, 407, 436  
 framebuffer attachment, 407  
 framebuffer object (FBO), 407, 436, 440  
 FreeGLUT, 51, 81  
     object, 75  
 friction (in animation), 114  
 front-facing polygon, 257  
 frustum, 43  
     culling, 141, 203
- G**  
 game  
     physics, 115  
     programming, 203, 227

---

SUBJECT INDEX

- game console, 9  
*gamepad*, *see* input device  
*gamut*, *see* color gamut  
*generalized*  
  cone, *see* cone  
  cylinder, *see* cylinder  
*geodesic path*, 224  
*geometric primitive*, *see* primitive  
*geometry shader*, *see* shader  
*ghosting*, 109  
*gimbal lock*, 214  
*GIMP image editor*, 339  
*gl-matrix library* (for WebGL), 552  
*GLEW* (OpenGL Extension Wrangler Library), 51  
*GLFW* (Graphics Library Framework), 53  
*glint*, 354  
*GLM* (OpenGL Mathematics) library, 492  
*global*  
  ambient light, *see* light  
  lighting (illumination) model, *see* light, lighting model  
*GLSL*, 477  
  data type, 481  
  aggregate, 481  
  complex, 483  
  opaque, 483  
  transparent, 483  
  sampler, *see* texture sampler  
*GLU* (OpenGL Utility Library)  
  quadric, 307  
    annular disc, 308  
    partial annular disc, 308  
    sphere, 308  
    tapered cylinder, 308  
*GLUI* User Interface Library, 81  
*golden ratio*, 313  
*Gouraud shading*, *see* shading  
*gradient (grad)*, 370  
*graphical*  
  text, *see* text  
  user interface, *see* GUI  
*graphics*  
  pipeline  
    OpenGL, 617  
    operation, 607  
    programmable, 477  
    ray tracing, *see* ray tracing  
    synthetic-camera, 19, 145, 607  
  system, 8  
    interactive, 8  
*gravity*, 113  
*grid*, *see* sample grid  
*GUI* (graphical user interface), 5, 81
- H**
- half-plane, 241  
*half-space*, 76  
*halfway vector*, 346  
*handedness*, 198  
*handheld device*, 9  
*haptic device*, *see* input device  
*HDTV*, *see* high-definition TV  
*helical pipe*, 296  
*helix*, 42  
  toroidal, 298  
*hemicube method*, 632  
*hemisphere*, 48  
*hexahedron*, 310  
*hidden surface removal* (*see also* depth testing), 40, 266  
*high-definition TV (monitor)*, 13  
*highlight*, 354  
*hit*, 145  
  buffer, 146  
  record, 145  
*homogeneous*  
  coordinates, 167  
*HSV (HSB) color model*, 340  
*hue*, 340  
*hull*, *see* convex hull  
*hyperbola*, 273  
  as conic, 281  
  rational parametrization, 282  
*hyperbolic*  
  cylinder, 305  
  paraboloid, 305  
*hyperboloid*  
  1 sheet, 305, 306  
  2 sheets, 305
- I**
- icosahedron*, 310  
*GLUT*, 75  
*idle function*, 107  
*illumination model*, *see* light, lighting model  
*image manipulation*, 440  
*immediate mode*, *see* rendering  
*implicit specification (equation)*, *see* curve and surface  
*importing objects*, 324  
  GL 4.3, 494  
  WebGL 2.0, 554  
*incident ray*, *see* ray  
*infinite viewpoint*, *see* light, viewpoint  
*ink*, 339  
*inner automorphism*, 220  
*input*  
  key

- non-ASCII, *see* non-ASCII (special) key
- mouse, 69
- input device, 10
- camera, 11
  - data glove, 12
  - gamepad, 11
  - haptic, 11
  - joy stick, 11
  - keyboard, 10
  - mouse, 10
  - pointing stick, 11
  - spaceball, 11
  - touchpad, 10
  - touchscreen, 11
  - trackball, 11
  - wheel, 11
- inside-outside test, 464
- instanced rendering, 507
- instance counter, 508, 509
  - instanced vertex attribute, 508
- intensity, 29, 336
- interaction
- interactive system, *see* graphics system
  - key, *see* input, key
  - mouse, *see* input, mouse
  - user, *see* user interaction
- interleaved array, 60
- International Commission on Illumination, *see* CIE
- interpolation, 30, 237
- linear, 237
  - linear with perspective correction, 615
  - perspectively correct, 615
- interpolation qualifier, 491
- intersection detection, *see* collision detection
- invariance
- affine, *see* affine invariance
  - projective, *see* projective invariance
  - snapshot, *see* snapshot invariance
- inverse
- quaternion, *see* quaternion
- IRIS GL, 53
- isoline, *see* tessellation
- isometry, *see* Euclidean transformation
- J**
- Jacobi’s iterative method, 635
- jaggies, 425
- joint, 581
- joy stick, *see* input device
- K**
- kd-tree, 208
- keyboard, *see* input device
- Klein bottle, 265
- Koch
- curve, 328
  - polyline, 328
  - snowflake, 329
- L**
- Lambert’s law, 345
- Lambertian surface, 632
- layout qualifier, 484
- LCD (liquid crystal display), 13, 338
- left-handed system, 198
- Lemniscate
- of Bernoulli, 273
  - of Gerono, 275
- lerp, 226
- level-of-detail (LOD), 399
- Liang-Barsky line clipper, *see* clipping algorithm
- lifting, 597
- light
- ambient light (reflectance), 341
  - calculating, 343
  - angular attenuation, 346
  - animation, 364
  - cone, 361
  - diffuse light (reflectance), 342
  - calculating, 344
  - in ray tracing, 627
  - transport via radiosity, 629
- direction vector, 344
- distance attenuation, 360
- first lighting equation, 348
- global ambient, 341, 357
- vector, 343
- lighting
- GL 4.3, 494
  - per-fragment, 382
  - per-pixel, 382, 497
  - per-vertex, 382, 495
  - WebGL 2.0, 556
- lighting model, 341
- Cook-Torrance, 384
  - global, 624
  - local, 350
  - OpenGL, 357
  - Phong’s, 341
- OpenGL lighting equation, 362
- OpenGL specification, 351
- properties matrix, 343
- reflectance, 341
- reflected, 341, 343
- secondary, 350

---

SUBJECT INDEX

- shininess exponent, 346
- source
  - directional, 359
  - positional (local), 359
  - regular, 361
- specifying properties (color), 343
- specular light (reflectance), 342
  - calculating, 345
- spotlight, 361
  - attenuation exponent, 361
  - cutoff angle, 361
  - direction, 361
- two-sided, 358
- viewpoint
  - infinite, 357
  - local, 357
- lighting model, *see* light
- line
  - antialiasing, 425
  - at infinity, 593
  - clipper, *see* clipping algorithm
  - loop, *see* polygonal line loop
  - of projection, 26, 45
  - of sight (los), 123, 129
    - vector, 129
  - OpenGL (straight line) segment, 31
  - thickness (width), 31
  - polygonal, *see* polygonal line
  - rasterizer, *see* raster algorithm
  - semi-infinite segment, 456
  - stipple, 73
    - GL 4.3, 512
  - tangent, *see* tangent line
- linear
  - interpolation, *see* interpolation
  - transformation, 160
    - related, 594
- lines adjacency, 535
- liquid crystal display, *see* LCD
- local
  - (object’s) coordinate system, 101
  - control, 578
  - light source, *see* light source, positional
  - lighting (illumination) model, *see* light, lighting model
  - viewpoint, *see* light, viewpoint
- LOD, *see* level-of-detail
  
- M**
- magnification, *see* filter
- mapped sample, 278, 293
- material
  - ambient scaling factor, 343
  - color mode, 356
  
- diffuse scaling factor, 345
- OpenGL specification, 352
- properties matrix, 343
- specifying properties (color), 343
- specular scaling factor, 346
- matrix
  - bias, 445
  - column matrix, 93
  - inverse transpose, *see* normal matrix
  - pick, *see* picking
  - rotation, *see* rotation
  - transpose inverse, *see* normal matrix
- medium of light, 627
- menu (pop-up), 72
- Mercator projection, 401
- Mesa 3D, 54
- mesh, 289
  - boundary, 290
  - polygonal, *see* polygonal mesh
  - triangular, *see* triangular mesh
- Meshing Roundtable Conference, 254
- minification, *see* filter
- mipmap, *see* filter
- mirror, *see* reflection
- Möbius band, 265
- modeling transformation, 86
  - composing, 92
- modelview
  - matrix, 95
    - current, 105, 135, 195
    - stack, 105, 135, 195
  - transformation, 130
- monitor, 338
- morph, 421
- motion blur
  - screen space, 516
  - world space, 422
- mouse, *see* input device
  - button click, 69
  - motion, 71
  - wheel, 71
- movie, 379
- multiple program objects, *see* program object
- multiple windows, 80
- multiresolution, 399
- multisampling, 427
- multitexturing, *see* texture, multitexturing
  
- N**
- name, 145
  - stack, 145
- native color, 342, 352

- non-ASCII (special) key, 72  
 non-orientable surface, *see* orientation  
 normal, 344
  - calculation, 371
  - line, 369
  - map, 503
  - matrix, 380
  - normalizing, 381
  - programmed calculation, 376
  - reversal on back faces, 358
  - transforming, 379
  - vector, 344, 369
 normalizing, *see* vector
- O**
- OBJ file format, 324, 325
  - object space, 24
  - object-object light interaction, 350, 384, 624
  - occlusion, 40, 631
    - culling, 208
    - query, 209
  - octahedron, 310
    - GLUT, 75
  - octant, 208
  - octree, 205
  - opaque, 416, 418
  - OpenGL
    - Architecture Review Board (ARB), 53
    - context, 51, 481
    - Embedded Systems (ES), 8, 506
    - history, 7, 53
    - introduction, 19
    - lighting equation, *see* light
    - lighting model, *see* light, lighting model
    - pipeline, *see* graphics pipeline
    - primitive, *see* primitive
    - profile, 481
      - backward compatible, 481
      - compatibility, 481
      - core, 481
      - forward compatible, 481
    - shading language, *see* GLSL
    - shading model, *see* shading model
    - state machine, 29
  - order
    - curve, *see* B-spline curve and Bézier curve
    - vertex, *see* vertex order
  - orientation
    - animating using Euler angles, 213
    - animating using quaternions, 226
    - consistent, 261
    - inconsistent, 261
- non-orientable surface, 265
  - of camera, 136
  - of geometric primitive, 34, 255
    - under transformation, 267
  - of rigid body, 213, 219
  - orientable surface, 265
  - orientation-preserving transformation, 173, 198
  - orientation-reversing transformation, 173, 198
- orthogonal projection, *see* projection
- orthographic projection, *see* projection
- oscillatory motion, 119
- outcode, 454
- outlined drawing mode, *see* drawing mode
- output device, 12
- output to command window, 38
- P**
- parabola, 39
    - as conic, 281
    - rational parametrization, 282
  - parabolic cylinder, 305
  - paraboloid
    - circular, 306
    - elliptic, 305
    - hyperbolic, 305
  - parallel projection, *see* projection
  - parallelepiped, 192
  - parallelism
    - under affine transformation, 162
    - under geometric transformation, 169, 193
  - parameter
    - curve, 292
    - domain, 274
    - function, 274
    - parametrization, 274
      - $C^0$ , *see* continuity
      - $C^1$ , *see* continuity
      - $C^m$ , *see* continuity
      - polynomial, 280
      - rational, 280
      - trigonometric, 280
    - rectangle, 321, 399
    - space, 273
    - variable, 274
  - parametric specification, *see* curve and surface
  - parity, 465
    - test, 464
  - partial
    - annular disc, *see* GLU quadric
    - derivatives, 364
  - particle system, 379, 428

---

SUBJECT INDEX

- transform feedback, 541
- partition of unity, 571
- partitioning, *see* space partitioning
- patch
  - Bézier, *see* Bézier patch
  - bicubic, *see* bicubic
  - bilinear, *see* bilinear patch
  - brightness, 630, 634
    - vector, 634
  - coordinate, *see* continuity
  - domain, 529
  - domain vertex, 529
  - GL 4.3, 527
  - patchification, 630
  - radiosity, 630
- pen-plotter, 474
- per-fragment operation, 617
- peripheral distortion, 46
- perpendicular projection, *see* projection
- perpendicularity test, 127
- Persistence of Vision Ray Tracer, *see* POV-Ray
- perspective
  - correction, 613
  - division, 601
  - GLU command, 77
  - projection, *see* projection transformation, 44
- perspectively correct interpolation, 615
- PHIGS, 7
- Phong’s
  - lighting model, *see* light
  - shading model, *see* shading model
- physics engine, 115
- physics in graphics, 115
- picking, 148
  - color coding, 520
  - GL 4.3, 520
  - pick matrix, 149
  - WebGL 2.0, 558
- piecewise
  - Bézier curve, 574
  - regular
    - curve, 287
    - surface, 318
- ping-pong buffering, *see* buffer pipeline
  - graphics, *see* graphics pipeline
  - pipelining (the Sutherland-Hodgman polygon clipper), 459
  - rendering, *see* graphics pipeline
- pipeline operation, *see* graphics pipeline
- pitch, 27, 213
- pixel, 12, 239, 338
- plane
- clipping, *see* clipping
- curve, *see* curve, plane
- planar surface, *see* surface
- planarity
  - under affine transformation, 162
  - under geometric transformation, 193
- projective, *see* projective plane
- tangent, *see* tangent plane
- viewing, *see* viewing
- platform-independence, 53
- Platonic solid, 310
- point
  - antialiasing, 426
  - at infinity, 592
  - camera, 45
  - extreme, 243
  - GL 4.3, 517
  - light source, *see* light source, positional
  - OpenGL, 31
    - size, 31
  - regular, 593
  - rendering, 426
  - sprite, 428
    - GL 4.3, 518
- pointer (vector) form, 59
- pointing device, 10
- pointing stick, *see* input device
- polarized glasses, 14
- polygon
  - clipper, *see* clipping algorithm
  - culling, *see* back-face culling
  - drawing mode, *see* drawing mode
  - rasterizer, *see* raster algorithm
  - regular, *see* regular polygon
- polygonal
  - line (polyline), 32
  - line loop, 32
  - mesh, 289
- polyhedron, 309
  - polyhedral surface, 289
  - regular, *see* regular polyhedron
- polyline, *see* polygonal line
- polynomial
  - Bézier primitive, 318, 563
  - Bernstein, *see* Bernstein polynomial
    - curve, 280
      - vs. Bézier curve, 574
    - function, 280
    - parametrization, 280
- pop-up menu, *see* menu (pop-up)
- popping, 398
- portability, 54
- positional light source, *see* light

POV-Ray, 628  
 primitive  
     adjacency, 535, 536  
     assembler (PA), 525  
     assembly, 608  
     atomic, 535  
     drawing, 31  
 printer, 339  
 procedural texture, *see* texture  
 profile curve, 297  
 program object, 486  
     multiple, 514  
 programmable pipeline, *see* graphics pipeline  
 progressive refinement, 635  
 projection  
     matrix, 479, 587  
     current, 135, 146, 602  
     stack, 135, 146, 602  
     orthogonal, 26  
     orthographic, 26  
     parallel, 26  
     perpendicular, 22  
     perspective, 43  
     statement, 21, 135  
     transformation, 586  
 projective  
     line, 590  
     plane, 590  
         homogeneous coordinates, 590  
         point-line duality, 590  
     point, 590  
     space, 590  
         transformation, 593, 594  
 propeller, 323  
 provoking vertex, 363, 491  
 pruning, 205  
 punctured rectangle, 314  
 push-pop pair, 105–107  
 pyramid, 43

**Q**

quadrant, 205  
 quadratic  
     Bézier curve, 565  
 quadric surface (quadric), 305  
     GLU, *see* GLU quadric  
 quadrilateral  
     quadrilateralization, 307  
 quadtree, 205  
 quaternion, 216  
     conjugate, 218  
     inverse, 218  
     pure, 216  
     unit, 218  
 query

timer, *see* timer query

**R**  
 radial  
     axis, 99, 180  
     line, 158  
     plane, 158  
 radian, 119  
 radiosity, 629  
     equation, 631  
 range tree, 208  
 raster, 12, 239, 338  
     algorithm, 453  
         Bresenham’s line rasterizer, 459  
         DDA (Digital Differential Analyzer) line rasterizer, 459  
         flood-fill, 473  
         scan-based polygon rasterizer, 464  
     rasterization, 240  
     text, *see* text  
 rational  
     function, 280  
     parametrization, 280  
 ray  
     incident, 346  
     reflected, 346, 625  
     tracing, 621  
         ray tracer, 623, 624, 626, 628  
         transmitted, 625  
         tree, 625  
 reciprocity equation, 631  
 rectangle  
     clipping, 454  
     OpenGL, 35  
     punctured, 314  
 red book, 29  
 reflectance, *see* light  
 reflected  
     light, *see* light  
     ray, *see* ray  
 reflection  
     about line, 157  
     about plane, 88, 191  
     by blending, 421  
     in ray tracing, 627  
     mirror, 157, 191  
     model, *see* light, lighting model  
     through point, 201  
     vector, 346  
 reflection mapping, 429  
 reflective scaling factor, 630  
 refraction, 625  
 refresh rate, 13, 108, 338  
 regular  
     coordinate patch, *see* continuity

---

SUBJECT INDEX

curve, *see* continuity  
 light source, *see* light  
 object, *see* continuity  
 parametrization, *see* continuity  
 piecewise, *see* piecewise  
 point, *see* point  
 polygon, 309  
 polyhedron, 309  
     duality, *see* duality  
 surface, *see* continuity  
 related linear transformation, *see* linear transformation  
 renderbuffer, 408  
 rendering, 22, 44  
     immediate mode, 62, 479  
     mode, 145  
     pipeline, *see* graphics pipeline  
     render farm, 629  
     retained mode, 62, 479  
     to texture, 407  
 renormalization, 381  
 reshape routine, 70  
 resolution, 13, 338, 393  
     buffer, 436  
 retained mode, *see* rendering  
 retina, 336  
 RGB color model, 337  
 RGBA, 386, 416  
 right-handed system, 198  
 rigid  
     object (body), 173  
     transformation  
         2D, 173, 176  
         3D, 198, 199  
 rod cell, 336  
 Rodrigues' rotation formula, 191  
 roll, 213  
 rotation  
     2D theory, 155  
     3D theory, 180  
     matrix, 156  
     OpenGL, 89  
 ruled surface, 303  
     ruling, 303

**S**

saddle surface, 305  
 saf (spotlight attenuation factor), *see* light, spotlight attenuation  
 sample, 38  
     grid, 278, 293  
     mapped, *see* mapped sample  
 sampler, *see* texture  
 scalar product, *see* dot product  
 scaling  
     2D theory, 155

3D theory, 179  
 degenerate, 88, 144  
 OpenGL, 87  
 scan-based polygon rasterizer, *see* raster algorithm  
 scene graph, 120  
 Schläfli symbol, 310  
 scintillate, *see* shimmer  
 scissor  
     box, 440  
     rectangle, 440  
     test, 439  
 screen  
     in printing, 339  
     space, 25  
 screen tearing, 109  
 SDL (scene description language), 628  
 segment, *see* line  
 selection, 145  
     mode, 145  
     volume, 145  
 self-similarity, 328  
 sequel curve, 328  
 shader, 478  
     compiling, linking, 486  
     control flow, 513  
     fragment, 479  
     geometry, 479, 535  
     object, 486  
     pass-through, 491  
     stage, 478  
     subroutine, 513  
     tessellation, 479, 525  
     tessellation control (TCS), 525, 527  
     tessellation evaluation (TES), 525, 529  
     vertex, 478  
 shaderize, 484  
 shading  
     flat, 363, 491  
     Gouraud, *see* smooth  
     model  
         OpenGL, 363  
         Phong's, 381  
     noperspective, 491  
     smooth, 491  
     smooth (Gouraud), 237, 363

shadow, 144  
     map, 444  
     mapping (curved surfaces), 443  
     orthographic, 144  
     perspective, 448  
     projective, 448  
     ray traced, 623  
     volume, 448

shape-preserving transformation, *see* transformation  
shear  
  2D, 159  
  angle of, 159  
  line of, 159  
  3D, 192  
  angle of, 192  
  line of, 192  
  plane of, 192  
shimmer (flash, scintillate), 393  
shininess exponent, *see* light  
ship movie, 379  
shoot-and-print, 22, 44, 607  
shoot-em-up game, 145  
SIGGRAPH, *see* ACM SIGGRAPH  
single buffering, 109  
Singular Value Decomposition, 201  
Sketchpad, 5, 474  
skybox, 431  
slerp, 225  
sliver, 250  
smoke, 379  
smooth  
  curve, *see* continuity  
  function, *see* continuity  
  shading, *see* shading  
  surface, *see* continuity  
Snell’s law, 627  
snowflake, *see* Koch  
solar system, 122  
source  
  curve, 328  
  fragment, 414  
space  
  curve, *see* curve  
  partitioning, 205, 208  
  travel, 138  
spaceball, *see* input device  
spectrum  
  EM, *see* EM spectrum  
  visible, *see* visible spectrum  
specular light, *see* light  
specular map, 502  
sphere  
  GLU, *see* GLU quadric  
  GLUT, 75  
  mapping, 429  
  texturing, 401  
spherical linear interpolation, *see* slerp  
SPIR-V, 484  
spiral, 42  
Spirograph, 279  
split-screen view, 80  
spotlight, *see* light  
sprite, *see* point sprite  
stack  
  modelview matrix, *see* modelview matrix  
  name, *see* name  
  projection matrix, *see* projection matrix  
  texture matrix, *see* texture matrix  
state  
  machine, *see* OpenGL variable, 29  
Steiner vertex, 37, 250  
stencil  
  bit, 437  
  buffer, 436, 437  
  mask, 437  
  tag, 437  
  test, 437  
stereoscopic glasses, 14  
stereoscopic viewing, 14, 436  
stereoscopy, 14  
STL (Standard Template Library), 71  
storage qualifier, 483  
straightness  
  under affine transformation, 162  
  under geometric transformation, 169, 193  
stroke text, *see* text  
sub-menu, *see* menu  
subroutine  
  type, 513  
  uniform, 513  
subtractive  
  color model, 339  
  primary, 339  
supercircle, 279  
superellipse, 279  
superellipsoid, 301  
support (of a function), 579  
surface  
  Bézier, *see* Bézier  
   $C^m$ , *see* continuity  
  closed, 265  
  doubly-ruled, *see* doubly-ruled surface  
  drawing, 293  
  extruded, *see* extrusion  
  implicit specification, 292  
  mathematical formalism, 313  
  non-orientable, *see* orientation  
  normal, *see* normal  
  of revolution, 297  
  orientable, *see* orientation  
  parametric (explicit) specification, 292  
  planar, 291  
  polyhedral, 289

---

SUBJECT INDEX

- quadric, *see* quadric
  - regular, *see* continuity
  - ruled, *see* ruled surface
  - saddle, *see* saddle surface
  - smooth, *see* continuity
  - swept, *see* sweeping
  - Sutherland, Ivan, 5
  - Sutherland-Hodgman polygon clipper, *see* clipping algorithm
  - sweeping, 296
    - swept surface, 296
  - swizzle, 482
  - synthetic texture, 386
  - synthetic-camera
    - model, 45
    - pipeline, *see* graphics pipeline
  - T**
  - table, 299
  - Taj Mahal, 302
  - tangent, 285
    - line, 285
    - plane, 317, 369
    - vector, 286, 317
  - tapered cylinder, *see* cylinder
  - teapot
    - GLUT, 75
    - Utah, 322
  - tessellation
    - isoline, 532
    - level, 525, 528, 531
    - primitive generator (TPG), 525, 530
    - quad, 531
    - shader, *see* shader
    - spacing, 530
    - triangle, 533
  - tetrahedron, 310
    - GLUT, 75
    - tetrahedralization, 254
  - texel, 385
  - text, 68
    - bitmapped (raster), 68
    - GL 4.3, 511
    - stroke (vector), 68
  - texture
    - 3D coordinates, 431
    - active unit, 406
    - animation, 403, 435
    - base, 395
    - blending, 421
    - buffer object (TBO), 509
    - clamp to edge, 392
    - combiner function, 406
    - combining, 405
    - coordinates, 388, 399
    - array, 399
    - depth, 444
    - external, 386
    - filter, *see* filter
    - GL 4.3, 498
    - lighting, 403
    - loading, 386
    - lookup function, 499
    - map, 388
    - matrix, 403
      - current, 403
      - stack, 403
    - mipmap, *see* filter
    - multitexturing, 405
    - NPOT, 386
    - object, 386, 397
    - pre-filtered, 395
    - procedural, 386, 501
    - rendering to, 407
    - repeat, 392
    - resolution, 395
    - sampler, 483, 498
    - space, 388
    - synthetic, 386
    - texel, 385
    - tiled, 391
    - unit, 405
    - WebGL 2.0, 557
    - wrapping mode, 392
      - clamp to edge, 392
      - repeat, 392
  - Timaeus dialogues, 310
  - timer function, 108
  - timer query, 211
  - topological manifold, 315
  - toroidal helix, *see* helix
  - torpedo, 323
  - torus, 297
    - GLUT, 75, 117
  - torus knot, 299
  - touchpad, *see* input device
  - touchscreen, *see* input device
  - trackball, *see* input device
  - trajectory, 297
    - defining, 303
  - transform feedback, 522
    - buffer, 523
    - in particle systems, 541
    - object, 523
  - transform-and-draw loop, 107
  - transformation
    - composing, *see* modeling transformation, composing
    - distance-preserving, 173
    - Euclidean, *see* Euclidean transformation
-

- isolating, 105  
*modeling*, *see* modeling transformation  
*modelview*, *see* modelview transformation  
*orientation-preserving*, *see* orientation  
*orientation-reversing*, *see* orientation  
*perspective*, *see* perspective transformation  
*projection*, *see* projection transformation  
*projective*, *see* projective transformation  
*rigid*, *see* rigid transformation  
*shape-preserving*, 173  
*viewing*, *see* viewing transformation  
 translation  
   2D theory, 154  
   3D theory, 179  
   OpenGL, 86  
*translational component*, *see* affine transformation  
 translucent, 418  
*transmitted ray*, *see* ray  
 transparent, 425  
 Tree Huggers’ Union, 255  
 triangle  
   degenerate, 47, 235  
   fan, 35  
   OpenGL, 34  
   strip, 34  
*triangles adjacency*, 535  
*triangular mesh*, 291  
*triangulation*, 35, 247, 289  
   definition, 247  
   fan, 252  
   invalid, 247  
   valid, 248  
 Trick, 99  
*trigonometric parametrization*, 280  
*triple buffering*, 110  
*tristimulus theory*, 336  
*truncated pyramid*, 43  
*Tweening*, 144  
*twisted cubic*, 279
- U**  
*uniform variable*, 484  
*UNISURF CAD system*, 582  
*Unity*, 151  
*up*  
   direction, 123  
   vector, 126  
 user interaction, 39  
*Utah teapot*, 322
- V**  
*v-sync*, *see* vertical synchronization  
*VAO*, *see* vertex array object  
*variant*  
   Koch snowflake, 330  
*varying*, 522  
*VBI*, *see* vertical blank interrupt  
*VBO*, *see* vertex buffer object  
*vector*  
   displacement, *see* displacement vector  
   eye direction, *see* eye direction vector  
   form, *see* pointer form  
   halfway, *see* halfway vector  
   light direction, *see* light direction vector  
   line of sight (los), *see* line of sight vector  
   normal, *see* normal vector  
   normalizing, 347  
   patch brightness, *see* patch brightness vector  
   product, *see* cross-product  
   tangent, *see* tangent vector  
   text, *see* text  
   up, *see* up vector  
*vector form*, *see* pointer form  
*vertex*, 20, 22  
   array, 59  
   array object, 65  
   buffer object, 63  
   order, 34, 256  
   equivalent, 258  
   Steiner, *see* Steiner vertex  
*vertex shader*, *see* shader  
*vertical blank interrupt*, 110  
*vertical synchronization*, 109  
*viewing*  
   box, 21  
   canonical, 586  
   face, 22, 43  
   frustum, 43  
   plane, 22, 43  
   transformation, 98, 123  
   trapezoid, 611  
   volume, 53, 585  
*viewpoint*, *see* light, viewpoint  
*viewport*, 79  
*virtual*  
   object, 24  
   screen, 622  
   space, 25

---

**SUBJECT INDEX**

- viscous medium, 114
- visibility determination, *see* hidden surface removal *and* depth testing
- visible spectrum, 336
- vision, 336
  
- W**
- weberize, 550
- WebGL 2.0, 549
- weight
  - angle-weighted, 373
  - area-weighted, 373
  - weighted sum, 234
- wheel, *see* input device
- window
  - aspect ratio, *see* aspect ratio
- windows
  - multiple, 80
- wireframe drawing mode, *see* drawing mode
- Witch of Agnesi, 273
- world
  - coordinate system, 24, 26
  - space, 22
  
- X**
- XYZ color model, *see* CIE
  
- Y**
- yaw, 213
  
- Z**
- z*-buffer, *see* buffer, depth
- zoom, 142

# Program Index

OBJmodels.cpp, 324  
 OBJmodelsShaderized.cpp, 494  
 OBJmodelsWeberized.html, 554  
 animateMan1.cpp, 141  
 animateMan2.cpp, 142  
 antiAliasing+Multisampling.cpp, 426  
 astroid.cpp, 278  
 ballAndTorus.cpp, 110  
 ballAndTorusFogged.cpp, 422  
 ballAndTorusLitOrthoShadowed.cpp, 377  
 ballAndTorusMotionBlurred.cpp, 422  
 ballAndTorusReflected.cpp, 421  
 ballAndTorusShaderSubroutines.cpp, 513  
 ballAndTorusShaderized.cpp, 492  
 ballAndTorusShadowMapped.cpp, 445  
 ballAndTorusStenciled.cpp, 438  
 ballAndTorusTwoProgramObjects.cpp, 514  
 ballAndTorusWeberized.html, 552  
 ballAndTorusWithFriction.cpp, 114  
 ballsAndTorusTransformFeedback.cpp, 522  
 bezierCanoe.cpp, 322  
 bezierCurveTangent.cpp, 320  
 bezierCurveWithEvalCoord.cpp, 319  
 bezierCurveWithEvalMesh.cpp, 320  
 bezierCurves.cpp, 319  
 bezierSurface.cpp, 320  
 bilinearPatch.cpp, 304  
 billboard.cpp, 424  
 blendRectangles1.cpp, 417  
 blendRectangles2.cpp, 418  
 box.cpp, 86  
 boxWithLookAt.cpp, 125  
 bumpMappingPerPixelLight.cpp, 498  
 bumpMapping.cpp, 443  
 bumpMappingShaderized.cpp, 495  
 canvas.cpp, 74  
 checkeredFloor.cpp, 363  
 circle.cpp, 38  
 circleDrawElements.cpp, 60  
 circularAnnuluses.cpp, 39  
 clippingPlanes.cpp, 77  
 clown2.cpp, 119  
 clown3.cpp, 116, 119  
 compareFilters.cpp, 398  
 convexHull.cpp, 242  
 cylinder.cpp, 294  
 DDA.cpp, 461  
 deCasteljau3.cpp, 566  
 doublyCurledCone.cpp, 301  
 eulerAngles.cpp, 213  
 extrudedHelix.cpp, 301  
 fakeT.cpp, 331  
 fieldAndSky.cpp, 393  
 fieldAndSkyFiltered.cpp, 397  
 fieldAndSkyFilteredShaderized.cpp, 498  
 fieldAndSkyLit.cpp, 404  
 fieldAndSkyTextureAnimated.cpp, 403  
 fieldAndSkyTexturesBlended.cpp, 421  
 fieldAndSkyTexturesBlendedShaderized.cpp, 516  
 flag.cpp, 115  
 floweringPlant.cpp, 119  
 fonts.cpp, 69  
 fractals.cpp, 329  
 gluQuadrics.cpp, 307  
 glutObjects.cpp, 76  
 helicalPipe.cpp, 296  
 helix.cpp, 42  
 helixList.cpp, 67  
 helixListShaderizedInstancedVertAttrib.cpp, 508  
 helixListShaderizedShaderCounter.cpp, 509  
 hemisphere.cpp, 49  
 hemisphereMultidraw.cpp, 62  
 hemisphereMultidrawVBO.cpp, 64  
 hemispherePerspective.cpp, 78  
 hyperboloid1sheet.cpp, 306  
 imageManipulationFBO.cpp, 440  
 interpolateEulerAngles.cpp, 214  
 interpolation.cpp, 238  
 intersectionDetectionRoutines.cpp, 207  
 invalidTriangulation.cpp, 249  
 launchCameraBlurred.cpp, 516  
 lightAndMaterial1.cpp, 353  
 lightAndMaterial2.cpp, 354  
 lineStipple.cpp, 73

---

PROGRAM INDEX

litBezierCanoe.cpp, 378  
 litCylinder.cpp, 375  
 litCylinderProgrammedNormals.cpp, 377  
 litCylinderShaderized.cpp, 497  
 litCylinderWeberized.html, 556  
 litDoublyCurledCone.cpp, 376  
 litTexturedCylinder.cpp, 404  
 litTexturedCylinderClipped.cpp, 510  
 litTexturedCylinderShaderized.cpp, 500  
 litTriangle.cpp, 358  
 manipulateModelviewMatrix.cpp, 195  
 manipulateProjectionMatrix.cpp, 602  
 menus.cpp, 72  
 mipmapLevels.cpp, 398  
 mouse.cpp, 69  
 mouseMotion.cpp, 71  
 mouseWheel.cpp, 71  
 moveSphere.cpp, 45  
 multipleLists.cpp, 68  
 multipleWindows.cpp, 80  
 multitexture.cpp, 405  
 normalMapping.cpp, 503  
 occlusion.cpp, 209  
 occlusionConditionalRendering.cpp, 211  
 parabola.cpp, 39  
 particleSystem.cpp, 541  
 perspectiveCorrection.cpp, 612  
 picking.cpp, 149  
 pickingShaderized.cpp, 521  
 pickingWeberized.html, 558  
 pointSprite.cpp, 428  
 points.cpp, 517  
 proceduralTexture.cpp, 501  
 quaternionAnimation.cpp, 226  
 relativePlacement.cpp, 104  
 renderedTexture.cpp, 409  
 rotatingHelix1.cpp, 107  
 rotatingHelix2.cpp, 107  
 rotatingHelix3.cpp, 108  
 rotatingHelixFPS.cpp, 108  
 selection.cpp, 145  
 shipMovie.cpp, 379  
 sizeNormal.cpp, 381  
 skybox.cpp, 431  
 spaceTravel.cpp, 138  
 spaceTravelFrustumCulled.cpp, 207  
 spaceTravelFrustumCulledTimerQuery.cpp,  
     211  
 specularMapping.cpp, 502  
 sphereInBox2.cpp, 372  
 sphereInBoxPOV.pov, 628  
 sphereInGlassBox.cpp, 420  
 sphereMapping.cpp, 429  
 spotlight.cpp, 357  
 square.cpp, 20  
 squareAnnulus1.cpp, 58  
 squareAnnulus2.cpp, 58  
 squareAnnulus3.cpp, 59  
 squareAnnulus4.cpp, 59  
 squareAnnulusAndTriangle.cpp, 60  
 squareAnnulusAndTriangleVAO.cpp, 65  
 squareAnnulusVBO.cpp, 63  
 squareGLFW.cpp, 53  
 squareOfWalls.cpp, 263  
 squareOfWallsReflected.cpp, 267  
 squareShaderized.cpp, 485  
 squareWeberized.html, 550  
 strangeK.cpp, 46  
 sweepBezierSurface.cpp, 576  
 table.cpp, 300  
 tessellatedCurve.cpp, 526  
 tessellatedSphere.cpp, 534  
 tetrahedron.cpp, 310  
 texturedSphere.cpp, 402  
 texturedSquare.cpp, 386  
 texturedTorpedo.cpp, 400  
 texturedTorus.cpp, 399  
 texturedTorusShaderized.cpp, 500  
 texturedTorusWeberized.html, 557  
 threeQuarterSphere.cpp, 264  
 throwBall.cpp, 113  
 torpedo.cpp, 323  
 torus.cpp, 298  
 torusSilhouette.cpp, 539  
 torusSweep.cpp, 298  
 viewports.cpp, 80

---